LIST OF FIGURES AND TABLES

Figures

1	Trends in cases of HIV infection and AIDS, Louisiana, 1997–2001	22
2	Persons living with HIV infection and persons living with AIDS, Louisiana, 1997–2001	23
3	Persons living with HIV/AIDS, by parish, Louisiana, 2001	25
4	Trends in HIV/AIDS, by ethnicity and sex, Louisiana, 1997–2001	26
5	Percentage of positivity among persons tested for the first time, by sex, Louisiana,	
	Counseling and Testing Data, 1997–2001	27
6	Percentage of positivity among persons tested for the first time, by race, Louisiana,	
	Counseling and Testing Data, 1997–2001	27
7	Trends in HIV/AIDS, by age group, Louisiana, 1997–2001	28
8	Percentage of positivity among persons tested for the first time, by age group, Louisiana,	
	Counseling and Testing Data, 1997–2001	28
9	Trends in exposure categories of cases of HIV/AIDS, Louisiana, 1997–2001	29
10	Trends in exposure categories of cases of HIV/AIDS in black adults, Louisiana, 1997–2001	30
11	Trends in exposure categories of cases of HIV/AIDS in white adults, Louisiana, 1997–2001	30
12	Infants born to HIV+ mothers and perinatal transmission rates, Louisiana, 1993–2000	31
	Trends in AIDS cases, Louisiana, 1997–2001	32
14	Trends in selected opportunistic infections, New Orleans Adult Spectrum of Disease Study,	
	1993–2001	34
	Deaths of persons with AIDS, Louisiana, 1997–2001	34
16	Casual sexual partners among men who have sex with men, Louisiana HIV Testing Survey,	
	2001	39
17	Unprotected receptive anal sex during past 30 days, Louisiana, MSM Outreach Survey,	
	1995–2000	40
	Condom use among MSM in gay bars, Louisiana HIV Testing Survey, 2001	40
	Trends in male-to-female ratios of STDs, Louisiana, 1997–2001	41
	Substance use, by age group, Louisiana, National Household Survey of Drug Abuse, 1999	42
21	Drug use among New Orleans high school students, Youth Risk Behavioral Surveillance	
	System, 1999	43
	Needle sharing among injection drug users, Louisiana HIV Testing Survey, 2001	44
	Casual sexual partners of injection drug users, Louisiana HIV Testing Survey, 2001	44
24	Condom use by injection drug users with casual sex partners, Louisiana HIV Testing	
	Survey, 2001	45
	Drug-related emergency department visits, Drug Abuse Warning Network, 2000	45
26	Cocaine (smoked) treatment admissions, by age group, Louisiana (n=4,608), Treatment	
	Episode Data Set, 2001	46
27	Heroin-related treatment admissions, by age group, Louisiana (n=428), Treatment Episode	
•	Data Set, 2001	46
28	Condom use with casual sex partners among heterosexuals at STD clinics, Louisiana	
•	HIV Testing Survey, 2001	50
29	Percentage of high school students with 4 or more lifetime sex partners, Youth Risk	~ ^
	Behavioral Surveillance Survey, 1999	50

30	Condom use during most recent sex among high school students having sex	
	during past 3 months, Youth Risk Behavioral Surveillance Survey, 1999	50
31	Alcohol or drug use before most recent sex among high school students having	
	sex during the past 3 months, Youth Risk Behavioral Surveillance Survey, 1999	51
32	Trends in gonorrhea rates, by sex, Louisiana, 1997–2001	51
	Trends in gonorrhea rates, by ethnicity, Louisiana, 1997–2001	52
	Trends in gonorrhea rates, by age group, Louisiana, 1997–2001	52
	Trends in gonorrhea rates, by public health region, Louisiana, 1997–2001	52
	Gonorrhea rates by parish, Louisiana, 2001	53
	Early syphilis rates, by parish, Louisiana, 2001	54
	Trends in syphilis rates, by sex, Louisiana, 1997–2001	55
	Trends in syphilis rates, by ethnicity, Louisiana, 1997–2001	55
	Trends in syphilis rates, by age group, Louisiana, 1997–2001	55
	Antiretroviral therapy (ART) during pregnancy or labor and delivery,	
	Louisiana, 1993–2001	56
42	Infants born to mothers with HIV infection, by age and race/ethnicity	
_	(N=498), Louisiana, 1999–2001	56
43	Infants born to mothers with HIV infection, by timing of diagnosis for mother (N=498),	
	Louisiana, 1999–2001	57
44	Infants born to mothers with HIV infection, by region (N=655), Louisiana, 1997–2000	57
	Percentage of live births to HIV-infected black women, Louisiana, 2000	57
	Trends in HIV counseling and testing, by type of testing, Louisiana, 1997–2001	61
	Need for primary medical care services (n=1,366), Ryan White Needs Assessment,	
	Louisiana, 2000–2001	79
48	Receipt of primary care by HIV-infected persons (n=1,151), by type of facility,	
	Ryan White Needs Assessment, Louisiana, 2000–2001	79
49	Combination therapy in past 6 months (n=1,348 patients), Ryan White	
	Needs Assessment, Louisiana, 2000–2001	80
50	Adherence to directions for combination therapy (n=924 patients), Ryan White	
	Needs Assessment, Louisiana, 2000–2001	80
-	Γables	
	Percentage distribution of the general population, by age group and sex, Louisiana,	16
1	2000	10
2	Percentage distribution of the general population, by race/ethnicity and sex, Louisiana,	
_	2000	17
3	Percentage distribution of the general population, by race/ethnicity and public health	1 /
5	region, Louisiana, 2000	17
4	Percentage distribution of the general population, by race/ethnicity for parishes of	1 /
7	>250,000 population compared with population of Louisiana, 2000	18
5	Percentage distribution of persons living below the poverty level during the past 12	10
J	months, by sex and age group, for parishes of >250,000 population, Louisiana, 2000	19
6	Percentage distribution of the population 25 years or older, by educational attainment	1,
J	and sex, for parishes of >250,000 population, Louisiana, 2000	19
7	Percentage distribution of adults (19–64 years), by health insurance coverage and sex,	1)
,	Louisiana, 1999–2000	20
	2001014114, 1777 2000	۷.

8	Characteristics of persons infected with HIV (HIV/AIDS), Louisiana, 2001	24
9	HIV diagnoses and rates, by race/ethnicity and sex, Louisiana, 2001	26
10	HIV diagnoses, by age group and sex, Louisiana, 2001	28
11	Risk characteristics of persons with HIV infection (HIV/AIDS), Louisiana, 2001	29
12	HIV diagnoses, by exposure category and race/ethnicity, Louisiana, 2001	30
13	HIV diagnoses, by exposure category and sex, Louisiana, 2001	31
14	Characteristics of persons with AIDS, Louisiana, 2001	33
15	Characteristics of persons with AIDS who died and persons living with AIDS,	
	Louisiana, 2001	35
16	Deaths due to HIV infection or AIDS, by race and sex, Louisiana, 2000	36
17	Persons living with AIDS, by race and sex, Louisiana, 2000	36
18	Comparative ranking of 10 leading underlying causes of death of black persons	
	and white persons aged 25–44 years, Louisiana, 1999	37
19	Sexual risk behavior of persons aged 18–49 years in the general population, Behavioral	
	Risk Factor Surveillance System, 2001	48
20	Sexual risk behavior in high-risk populations, Street Outreach Survey,	
	Louisiana, 2001	49
21	HIV testing in the general population, Behavioral Risk Factor Surveillance System,	
	Louisiana, 2001	58
22	Six most commonly listed reasons for HIV testing, general population (n=678),	
	Behavioral Risk Factor Surveillance System, Louisiana, 2001	59
23	Locations of HIV testing, general population (n=670), Behavioral Risk Factor	
	Surveillance System, Louisiana, 2001	60
24	Percentages of high-risk populations ever tested for HIV, HIV Testing Survey,	
	Louisiana, 2001	60
	HIV testing of high-risk persons (n=5,665), Street Outreach Survey, Louisiana, 2001	61
	HIV counseling and testing data, by demographics and type of test, Louisiana, 2001	63
27	Comparison of demographic characteristics of CARE Act Title II clients and persons	
20	living with HIV/AIDS, Louisiana, 2001	68
28	Utilization of Ryan White Title II service, by type of service (N=4,125),	
20	Louisiana, 2001	69
29	Characteristics of patients enrolled in the AIDS Drug Assistance Program	7.0
20	(N=1,440), Louisiana, June 2001	70
30	Prescription of antiretroviral therapy (ART) and highly active antiretroviral	
	therapy (HAART) for HIV-infected patients, by sex, race/ethnicity, and insurance status,	71
21	Survey of HIV Disease and Care, Louisiana, 1998	71
31	Current prescription of prophylaxis for <i>Pneumocystis carinii</i> pneumonia in	
	HIV-infected patients, by sex, race/ethnicity, and insurance status, Survey of HIV Disease	70
22	and Care, Louisiana, 1998	72
32	Current prescription of highly active antiretroviral therapy (HAART) in	
	HIV-infected patients, by sex and race/ethnicity, Adult/Adolescent Spectrum of Disease	73
22	Project (N = 1,695), New Orleans, 2000 Proscription of prophylavis for primary Programs against programs in	13
JJ	Prescription of prophylaxis for primary <i>Pneumocystis carinii</i> pneumonia in HIV-infected patients, by sex and race/ethnicity, Adult/Adolescent Spectrum of Disease	
	Project (N = 945). New Orleans, 2000	74
	1 1770A/L 11 1 - 7 T.H. 110 W 3 H 10 (111), 400 M	, -

34	Prescription of prophylaxis for <i>Mycobacterium avium</i> complex in HIV-infected patients,	
	by sex and race/ethnicity, Adult/Adolescent Spectrum of Disease Project (N = 449), New	
	Orleans, 2000	74
35	Proportions of persons with AIDS diagnosis, by time between first positive HIV test result and AIDS diagnosis ($N=6,956$), Louisiana, $1996-2000$	75